

HOTEL SUPPLIES

YirouFang Textile Manufacture Co.,Ltd.



Visit Factory

360° VR panoramas we provide

The logo features the letters 'YRF' in a large, bold, teal font, with 'HOTEL SUPPLY' in a smaller, teal font directly below it. The logo is centered within a white circle that has a thin grey border. This circle is superimposed on a background of four vertical stripes in blue, teal, orange, and red from left to right.

YRF
HOTEL SUPPLY

<http://www.yrftextile.com>

Email: info@yrftextile.com



▲ 电泳象牙白 004-01



▲ 消光香槟 004-02



▲ 消光古铜 004-03



▲ 消光黑 004-04


φ28

轨道参数 Orbital parameters(MS1605)

表面：消光电泳工艺 支重：1.9kg
规格：6.7m/5.8m/支 厚度：1.1mm



MISA
FROM SWITZERLAND



▲蓝色扫金 006-01



▲米黄扫金 006-02



▲古铜扫金 006-03

φ28

轨道参数 Orbital parameters(MS2005)

表面：手工扫金工艺 支重：2.7kg
规格：6.7m/支 厚度：1.5mm



▲白金 006-04

MISA
FROM SWITZERLAND



▲ 古铜扫金 008-01



▲ 蓝色扫金 008-02



▲ 米黄扫金 008-03

φ28

Orbital parameters(MS2005)

表面：手工扫金工艺 支重：2.7kg
规格：6.7m/支 厚度：1.5mm



▲ 白扫金 008-04



▲电泳象牙白 010-01



▲消光香槟 010-02



▲消光古铜 010-03



▲消光黑 010-04


φ28

Orbital parameters(MS1705)

表面：消光电泳工艺 支重：1.9kg

规格：6.7m/5.8mm/支 厚度：1.1mm






φ28


Orbital parameters(MS1605)

表面：PU转印工艺 支重：2.2kg
规格：6.7m/支 厚度：1.5mm





MISA
FROM SWITZERLAND



▲ 磨砂白 014-01



▲ 磨砂米黄 014-02



▲ 磨砂咖啡 014-03



▲ 磨砂灰 014-04

φ28

Orbital parameters(MS1605)

表面：喷涂工艺	支重：1.9kg
规格：6.7m/5.8m/支	厚度：1.1mm

MISA
FROM SWITZERLAND



▲ 浅蓝 016-01

φ28

Orbital parameters(MS1705)

表面：转印工艺	支重：1.9kg
规格：6.7m/支	厚度：1.1mm



▲ 浅米色 016-02



▲ 浅黄色 016-03



▲ 浅绿 016-04



▲ 浅黄色 018-01

φ28

Orbital parameters(MS1705)

表面：铸印工艺	支重：1.9kg
规格：6.7m/支	厚度：1.1mm




▲ 浅米色 018-02



▲ 浅绿 018-03



▲ 浅蓝 018-04



MISA
FROM SWITZERLAND



▲美国黄檀木 020-01



▲白木 020-02



▲美国红檀木 020-03

φ28

Orbital parameters(MS1705)

表面： 转印工艺	支重： 1.9kg
规格： 6.7m/支	厚度： 1.1mm



▲白橡木022-01

φ32

Orbital parameters(MS1808)

表面：喷涂工艺	支重：2.4kg
规格：6.7m/5.8m/支	厚度：1.0mm



▲柚木022-02



▲红木022-03



φ28

Orbital parameters(2100)

表面：喷涂工艺	支重：3.0kg
规格：6.7m/支	厚度：2.0mm



▲哑光浅灰024-01



▲哑光白024-02



▲哑光黑024-03



A024-04

A024-05

A024-06

A024-07

A024-08

A024-09

A024-10

A024-11

A024-12




▲ 哑光琥珀026-01

φ30

Orbital parameters(MS1808)

表面：消光氧化工艺 支重：2.3kg
规格：6.7m/支 厚度：1.2mm



▲ 哑光红金026-02



▲ 哑光白026-03